

31

Notice of Allowability

Application No.

10/767,600

Examiner

Pascal M. Bui-Pho

Applicant(s)

YANKIELUN, NORBERT E.

Art Unit

2878

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Request for Continued Examiner (RCE) filed 09 August 2006.
2. ☒ The allowed claim(s) is/are 1-23.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 20060831.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Georgia Epps
Supervisory Patent Examiner
Technology Center 2800

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09 August 2006 has been entered.

Drawings

2. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because of insufficient quality. Applicant is reminded that hand-written/hand-drawn figure(s) and/or reference number(s) should not be included. Although the drawings were marked as "Accepted", after further review, components such as support (301) in Figs. 4 and 5, for example, lack sufficient visibility. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

3. Claims 1-23 are allowed over cited prior arts.
4. The following is an Examiner's statement of reasons for allowance:

The prior arts of record fail to anticipate and/or render obvious, either solely or in

Art Unit: 2878

combination, a system for monitoring and alerting to change in media comprising, among other features, a support immersed in water and sediment in an unenclosed natural environment, an array communicating a pre-specified level of detail permitting determination of at least a relative level of water and sediment about said support, and at least one optical coupler in operable communication with each of optical fibers (**Claim 1**).

The prior arts of record further fail to anticipate and/or render obvious, either solely or in combination, a system for monitoring and alerting to change in media, comprising, among other features, optical means affixed to an external surface of a support immersed in water and sediment in an unenclosed natural environment; an array communicating a pre-specified level of detail as data permitting determination of at least a relative level of water and sediment about said support (**Claim 22**).

The prior arts of record further fail to anticipate and/or render obvious, either solely or in combination, a method for monitoring and alerting to change in media, comprising, among other steps, providing an array affixed to an external surface of at least one support immersed in water and sediment in an unenclosed natural environment; configuring said array to provide a pre-specified level of detail permitting determination of at least a relative level of water and sediment about said support (**Claim 23**).

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

I) Gallagher (US 4,287,756) discloses a stratified fluid interface recorder for determining relative properties of stratified fluids.

II) Neuscheler et al. (US 3,995,168) disclose an electro optical fluid measurement system for displaying a level and specific density of a liquid contained within a tank.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pascal M. Bui-Pho whose telephone number is (571) 272-2714. The examiner can normally be reached on Monday through Friday: 8:30 a.m. - 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Georgia Epps
Supervisory Patent Examiner
Technology Center 2800